HP Color LaserJet Enterprise MFP M680 series



Use this high-performance color MFP to stay productive in the office and on the go.²

Tackle high-volume jobs with a high-performance color MFP. Print and copy on letter and A4, plus scan and fax. Enhanced scanning and an 8-inch color touchscreen streamline workflows. Mobile printing options help you stay productive on the go.^{2,8}



HP Color LaserJet Enterprise MFP M680dn



HP Color LaserJet Enterprise MFP M680f



HP Color LaserJet Enterprise Flow MFP M680z

Make workflow fly

- Get more done, faster. Scan two-sided documents in a single pass. No missed pages, no flipping pages by hand.
- Preview and edit scans, adjust images, and launch standard processes—all at the 8-inch color touchscreen.
- Fast, accurate input—enter data more quickly and accurately, using the pull-out keyboard.⁹
- Scan and send digital files directly to email, SharePoint®, network folders, or the cloud.²

Mobilize business printing

- Print without wires—or a network. Get easy access to the MFP through optional wireless direct printing.⁴
- Mobile printing at a touch—enable touch-to-print convenience from mobile devices.⁵
- Easily print from smartphones, tablets, and notebooks at work, home, or on the go; Mopria-certified.¹
- Pull print jobs from your pocket—walk up and print or scan from your USB drive.

Ready, set, grow

- Depend on an MFP that can expand with your business, whenever solutions advance.
- Take the guesswork out of fleet management—centrally monitor and control your MFPs with HP Web Jetadmin. $^{\rm 6}$
- Be confident that sensitive business data is protected with advanced security and an encrypted hard disk.

Loaded for productivity

- Reload less often—tackle high-volume printing with a paper capacity of up to 3,100 sheets.³
- Reduce employee time at the MFP, using the automatic document feeder.
- Confidently capture data. HP EveryPage lets you scan without worry and detect potential errors right away.¹⁰
- Save time with automatic job sorting and finishing, using the 3-bin stapling mailbox.⁷

¹ Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/businessmobileprinting for more details. Mopria-certified devices adhere to a common standard that enables easy mobile printing with little or no setup. ² Scanning to SharePoint and/or the cloud requires an Internet connection to the printer. Services may require registration. Availability varies by country, language, and agreements. For details, see hp.com/go/Mfp³ Naximum paper capacity requires purchase of additional paper trays for the HP Color Laser Jet Enterprise M680f and M680dn. ⁴ Wireless direct printing requires purchase of optional module. Mobile device may require an app or driver. Wireless performance is dependent on physical environment and distance from the printer. For details, see hp.com/go/businessmobileprinting ⁵ Touch-to-print capability requires purchase of optional module. Mobile device must support near-field communications-enabled printing. For a list of supported devices, see hp.com/go/businessmobileprinting ⁶ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin ⁷ Three-bin stapling mailbox requires additional purchase for the HP Color Laser Jet Enterprise MFP M680dz only. ¹⁰ HP KeybOard is available on the HP Color Laser Jet Enterprise MFP M680z only. ¹⁰ HP KeyPage is available on the HP Color Laser Jet Enterprise MFP M680z only. ¹⁰ HP KeyPage is available on the HP Color Laser Jet Enterprise MFP M680z only.

Product walkaround

- 1 Intuitive 8-inch (20.3 cm) color touchscreen control panel
- 2 100-sheet automatic document feeder (ADF) with single-pass, two-sided scanning and HP EveryPage with ultrasonic double-feed detection
- 3 Home button (returns to home screen)
- 4 900-sheet, 3-bin stapling mailbox accessory (Optional on the M680dn and M680f)
- 5 500-sheet output bin
- 6 Hardware integration pocket (for connecting accessory and third-party devices)
- 7 Easy access USB port to save and print files directly
- 8 Front door (access to toner cartridges)
- 9 Built-in automatic duplexer
- 10 Lower-right door (access for clearing jams)
- 11 500-sheet tray 2
- 12 2 x 500-sheet tray
- 13 1,500-sheet high-capacity input with stand
- 14 Pull-out keyboard for easy, accurate data entry
- 15 Right-side door (access for clearing jams)
- 16 100-sheet multipurpose tray
- 17 On/off button
- 18 Fax port
- 19 HP High-Performance Secure Hard Disk
- 20 800 MHz processor, 2 GB RAM
- 21 Foreign interface harness (for connecting external devices)
- 22 Hi-Speed USB 2.0 printing port
- 23 Hi-Speed USB 2.0 port (for connecting third-party devices)
- 24 HP Jetdirect Gigabit Ethernet print server
- 25 Access port for optional Kensington-style lock

Series at a glance








Model	HP Color LaserJet Enterprise MFP M680dn	HP Color LaserJet Enterprise MFP M680f	HP Color LaserJet Enterprise Flow MFP M680z
100-sheet multipurpose tray	\checkmark	\checkmark	\checkmark
500-sheet tray 2	\checkmark	\checkmark	\checkmark
500-sheet tray 3 with storage cabinet	Optional	\checkmark	Not available
2 x 500-sheet trays and 1,500-sheet HCI with stand	Optional	Not available	\checkmark
900-sheet, 3-bin stapling mailbox	Optional	Optional	\checkmark
Touch-to-print and wireless direct mobile printing	Optional	Optional	Optional
100-page ADF with single-pass, two-sided scanning	✓	4	✓ (Plus HP EveryPage)
Fax	Optional	\checkmark	✓

HP Color LaserJet Enterprise Flow MFP M680z shown



Side I/O panel close-up

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

HP Care Pack Services provide comprehensive suite of protection services designed to keep HP Hardware and software up and running so employees can stay productive.

Choose from:

Next Business Day Onsite Repair: Makes an HP technician available at customers' premise the next business day, if the issue cannot be resolved remotely.

Same Day Onsite – 4 hour 9 x 5 and 13 x 5:

Sends an HP technician to customer's site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

For care pack availability visit: <u>hp.com/go/cpc</u>











Power up your productivity with super-fast scanning, impressive paper capacity, and an 8-inch color touchscreen with image preview—to help provide the best results, ahead of time.

Give users the ability to connect and print almost anywhere work takes them. Simple mobile printing saves time—and keeps your business moving at top speed. Print without wires—or a network—with optional wireless direct printing.²

Keep your printing fleet looking forward. Easily expand and upgrade this MFP as solutions advance—and use simple, central management tools to save IT time and budget.

Take office productivity higher. Load the MFP with up to 3,100 sheets and high-capacity Original HP cartridges, set up jobs with the automatic document feeder, and let it go to work.¹ HP EveryPage helps detects errors before they start.³

Accessories				
CZ261A	HP Color LaserJet 500-sheet Paper Tray			
CZ263A	HP Color LaserJet 2 x 500-sheet Paper Feeder 1,500-sheet High-capacity Paper			
	Feeder and Stand			
CZ264A	HP 900-sheet 3-bin Stapling Mailbox			
CC487A	HP LaserJet MFP Analog Fax Accessory 500			
J8026A	HP Jetdirect 2700w USB Wireless Print Server			
J8029A	HP Jetdirect 2800w NFC/Wireless Direct Accessory			
CE246A	HP Color LaserJet 110V Fuser Kit			
CE265A	HP LaserJet Toner Collection Unit			
CE247A	HP Color LaserJet 220V Fuser Kit			
CE249A	HP Color LaserJet Transfer Kit			
L2718A	HP 100 ADF Roller Replacement Kit			
F5S62A	HP Trusted Platform Module Accessory			
Supplies				
CF320A	HP 652A Black Original LaserJet Toner Cartridge (~11,500 yield)			
CF320X	HP 653X High Yield Black Original LaserJet Toner Cartridge (~21,000 yield)			
CF321A	HP 653A Cvan Original LaserJet Toner Cartridge (~16,500 vield)			
CF322A	HP 653A Yellow Original Laser Jet Toner Cartridge (~16,500 yield)			
CF323A	HP 653A Magenta Original LaserJet Toner Cartridge (~16,500 yield)			
Services				
U1PF8E	HP 3-year Next Business Day + DMR Color LaserJet M880 Multifunction printer Support			
U1PF9E	HP 4-year Next Business Day + DMR Color LaserJet M880 Multifunction printer Support			
U1PG0E	HP 5-year Next Business Day + DMR Color Laser Jet M880 Multifunction printer Support			
U4TM0E	HP 3-year 4 hour 9x5 + DMR Color LaserJet M880 Multifunction Printer Service			
U4TM1E	HP 4-year 4 hour 9x5 + DMR Color Laser Jet M880 Multifunction Printer Service			
U4TM2E	HP 5-year 4 hour 9x5 + DMR Color LaserJet M880 Multifunction Printer Service			
U1PH4PE	HP 1-year PW Next Business Day + DMR Color Laser Jet M880 Multifunction printer Suppor			
U4TM3PE	HP 1-year PW 4 hour 9x5 + DMR Color LaserJet M880 Multifunction Printer Service			

¹ Maximum paper capacity requires purchase of additional paper trays for the HP Color LaserJet Enterprise M680f and M680dn.² Wireless direct printing requires purchase of optional module. Mobile device may require an app or driver. Wireless performance is dependent on physical environment and distance from the printer. For details, see <u>h.com/go/businessmobileprinting</u>³ HP EveryPage is available on the HP Color LaserJet Enterprise MFP M680z only.

HP Color LaserJet Enterprise MFP M680 series

Technical specifications AiO functions	HP Color LaserJet Enterprise MFP M680dn (CZ248A) Print, Copy, Scan, Digital Send, Scan-to-Easy Access USB	HP Color LaserJet Enterprise MFP M680f (CZ249A) Print. Copy. Scan. Fax. Digital Send. Scan-to-Easy Access USB	HP Color LaserJet Enterprise Flow MFP M680z (CZ250A) Print, Copy, Scan, Fax, Digital Send, Scan-to-Easy Access USB, Scan-to-SharePoint			
	AiO multitasking supported: Yes	AiO multitasking supported: Yes	Scan-to-Flow CM (where applicable); AiO multitasking supported: Yes			
plex print options	Automatic					
int speed ¹		Normal, letter: Up to 45 ppm black and color; Normal, A4: Up to 42 ppm black and color				
rst page out ² int resolution		Black (ready): As fast as 10.5 sec; Color (ready): As fast as 10.5 sec Black (best): Up to 1200 x 1200 dpi; Color (best): Up to 1200 x 1200 dpi				
int resolution technologies int technology	HP ImageREt 4800, 600 × 600 dpi, HP ProRes Toto (1200 x 1200 dpi, PANTONE* Calibrated					
rint cartridges number	Laser 4 (1 each black, cyan, magenta, yellow)					
obile printing capability ³	HE	PePrint, Apple AirPrint™, Mobile Apps, optional Touch-to-print, optional Wireless Direct printi	ng			
rinter smart software features		On and Off technology, Instant-on Technology, HP Auto-On/Auto-Off Technology, HP Easy	HP ePrint, Apple AirPrint™, Open Extensibility Platform, FutureSmart Firmware			
	Color, PANTONE® Calibrated, digital send print preview, duplex, print multi	Schedule On and Off technology, Instant-on Technology, HP Auto-On/Auto-Off Technology, HP Easy Color, Pantone® Calibrated, digital send print preview, duple print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jol job separator, staple				
tandard print languages		HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PDF, PDF and AirPrint (URF and PDF)				
rinter management		HP Web Jetadmin; HP Utility (Mac) Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD)				
can type/technology can speed	Normal, letter: Up to 60 ppm (b&w), up to 45 ppm (co	Normal, letter: Up to 65 ppm (b&w), up to 63 ppm (color); Duplex: Up to 89 pp				
	· · · · · · · · · · · · · · · · · · ·		(b&w), up to 66 ppm (color)			
can resolution	Enhanced: Up to 600 dpi; Hardware: Up to 600 x 600 dpi;					
an file format	PDF, JPEG, TIFF, MTIFF, APS, PDF/A					
an input modes canner advanced features	Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXP) applications Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge erase; Auto job notification; Blank page Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge erase; Auto job notification; Blank page Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge erase; Auto job notification; Blank page					
igital sending standard features	Springer Centerplane, Integr Superior and Springer State Springer		scan resolution 75 to 600 dpi; Auto detect color; Edge erase; Auto tone; Auto jot notification; Blank page suppression; Auto orientation; Auto page crop; HP Quick S Scan-to-e-mail; Save-to-Network Folder; Scan-to-SharePoint; Save-to-USB drive; S			
	to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SM					
can size maximum it depth/Grayscale levels	Flatbed: 8.5 x 14 in (216 x 356 mm) Bit Depth: 24-bit; Grayscale: 256					
py speed ⁴	BID Depth: 24-bit Grayscale: 25-b Normal, letter: Up to 45 cpm black and color, Normal, Ak: Up to 42 cpm black and color					
py resolution	Black (text and graphics): Up to	o 600 x 600 dpi (Flatbed), 300 x 600 dpi (ADF); Color (text and graphics): Up to 600 x 600	dpi (Flatbed), 300 x 600 dpi (ADF)			
ax. no. of copies		Up to 9,999 copies	······································			
opier resize		25 to 400%				
pier settings		rkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering content orientation,				
ax speed	Not applicable		per page			
ax resolution	Not applicable		(fine): 200 x 200 dpi, 256 levels of gray; Black and White (superfine): 300 x 300 dpi, els of gray			
ax smart software features	Not applicable	Stored faxes; fax archiving; fax forwarding; scale-to-fit; fax address book; LAN/Internet fax; fax number confirmation				
ax features	Not applicable	Auto fax reduction supported: Yes; Auto-Redialing: Yes; Fax delayed sending: No; D	istinctive ring detection supported: No; Fax forwarding supported: Yes; Junk barrier			
tandard connectivity	 Hi-Speed device USB 2.0; 2 Host USB 2.0 (for third-party connections); 1 Jetlink; 1 Accessory (for Kensington Lock); 1 Gigabit Ethernet 10/100/1000; 1 FIH 	supported: Yes, as blocked fax numbers; Maximum speed dialing numbers: Up to 100 (each can contain 100 numbers); PC interface supported: Yes, PC fax send only 1 Hi-Speed device USB 2.0; 2 Host USB 2.0 (for third-party connections); 1 Jetlini; 1 Accessory (for Kensington Lock); 1 Gigabit Ethernet 10/100/1000; 1 Fax; 1 FH				
etwork capabilities	Ves, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T; 100Base-T; 802 3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional). Please note: HP Jetdirect 2800 (18029A) and HP Jetdirect 2700W (18026A) accessories cannot be installed at the same time.					
letwork ready		Standard (built-in Gigabit Ethernet); Included Touch-to-print and Wireless Direct				
Vireless capability	Optional, enabled with purchas	se of HP Jetdirect 2700w USB Wireless Print Server J8026A or HP Jetdirect ew2500 802.11b	/g Wireless Print Server J8021A			
lemory	2 GB DDR2					
rocessor speed uty cycle (monthly) ^s		800 MHz				
aper handling		Up to 175,000 pages; Recommended monthly page volume: ⁶ 3,000 to 17,000 pages				
Input	100-sheet multipurpose tray, 500-sheet input tray 2, 100-sheet automatic document feeder (ADF), automatic two-sided printing	100-sheet multipurpose tray, 500-sheet input tray 2, 500-sheet input tray 3, 100-sheet Automatic Document Feeder (ADF), automatic two-sided printing	100-sheet multipurpose tray, 500-sheet input trays 2, 3, and 4, 1,500-sheet input tr 100-sheet Automatic Document Feeder (ADF), automatic two-sided printing			
Output		500-sheet output bin				
Media type		lossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letteri				
Media weight Media sizes custom	Tray 1: 4.0 x 6.0 to 8.5 x 14 in; Tray 2: 5.8 x 8.3 to 8.5 x 14 in	ain), 28 to 58 lb bond (glossy), 16 to 24 lb (envelopes); Trays 2, 3, 4, 5: 16 to 32 lb bond (pla Tray 1: 4.0 x 6.0 to 8.5 x 14 in; Tray 2, 3: 5.8 x 8.3 to 8.5 x 14 in	Tray 1: 4.0 × 6.0 to 8.5 × 14 in; Tray 2, 3, 4: 5.8 × 8.3 to 8.5 × 14 in; Tray 5: No custom sizes			
ADF capacity	21.1 y 25 y 22 (or Marry 45 0 y 24 0 y 25 5 in	Standard, 100 sheets	40.2 v 26.0 v 46.5 in Manu 55.2 v 20.0 v 55.0 in			
imensions (W x D x H)	31.1 x 25 x 23 in; Max: 45.8 x 34.9 x 33.5 in 124.3 lb	33 x 26.8 x 44.7 in; Max: 49 x 39.1 x 55.8 in 171.4 lb	40.2 x 26.8 x 46.5 in; Max: 55.3 x 39.8 x 55.8 in 191.3 lb			
feight Jhat's in the box?	HP Color Laser Jet Multifunction Printer; Black, Cyan, Magenta, and Yellow HP Color Laser Jet Toner Cartridges (installed); CD with software drivers and documentation; Documentation (Hardware Iradia Guide); power cord; HP Jediteer Glaphit Ethernet Print Server (embedded); 100-sheet multipurpose tray 1; 500-sheet input tray 2; Automatic duplexer (built-in); Encrypted Hard Drive:	HP Color LaserJet Multifunction Printer; Black, Cyan, Magenta, and Yellow HP Color LaserJet Toner Carridges (installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); power cond: HP Jetdiet Glaphit Ethernet Print Server (embedded); 100-sheet multipurpose tray 1; 500-sheet input tray 2; Automatic duplexer (built-n); Encrypted Hard Drive; 500 capacity sheet paper input w/ cabinet; Fax; Fax; cable	19.3 io HP Color Laser let Multifunction Printer; Black, Cyan, Magenta, and Yellow HP Col Laser let Toner Carritiges (installed): Cu with software drivers and documentatic Documentation (Hardware Install Guide): power cord. PH Petitret Clagbits Themnet Server (embedded): 100-sheet multipurpose tray 1: 500-sheet input tray 2: Auton duplexer (built-ni): Encryted Hard Drives 3.100 billo; capacity sheet paper input stand; Fax; Fax; cable; 900-sheet 3-bin stapping mailbox			
Jarranty features		One-year, onsite warranty				
nergy efficiency compliance ompatible operating systems	ENERGY STRAP qualified; Blue Angel; CECP, EPEAP* Silver Windows XP SP3 or greater (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows 7 (32-bit and 64-bit), Windows 6 (32-bit and 64-bit), Windows Server 2008 SP2 or greater (32-bit and 64-bit), Windows Server 2008 SP2 or greater (32-bit and 64-bit), Windows Server 2008 (32-bit and 64-bit), Windows 5 (32-bit and 64-bit), Windows Server 2008 SP2 or greater (3					
ompatible network operating System	UNIX APUTIENT DURING SUBJECT S					
linimum system requirements	PC: Windows 8, Windows 7 (SP1 or higher), Windows VIsta, Windows XP (SP2 or higher), Windows Server 2003 (SP1 or higher), Windows Server 2008; Windows Server 2008; Windows Server 2012 (64-bit); 200 MB available hard disk space; CD-R0M or DVI drive, or Internet connection; Dedicated universal serial bus (USB 1:1 or 2.0), or network connection; TG end and the space; CD-R0M or DVI Mavericks; CD-R0M or DVI drive, or Internet connection; Departing system requirements see <u>microsoft.com</u> , Macr 05X 110.5 Inox Leopard; OS X10.7 Lion; OS X 10.8 Mountain Lion; OS X 10.9 Mo					
nvironmental ranges	Operating temperature range: 59 to 66° F (51 to 30°). Recommended operating temperature: 62.6 to 72° F (71 to 25° C), Non-operating humidity range: 10 to 96% P (51 to 30% RHz Recommended operating temperature: 62.6 to 72° F (71 to 25° C), Non-operating humidity range: 10 to 96% P (51 to 30% RHz Recommended operating temperature); F (17 to 25° C), Non-operating humidity range: 10 to 96% P (51 to 30% RHz Recommended operating temperature); F (17 to 25° C), Non-operating humidity range: 10 to 96% P (51 to 30% RHz Recommended operating temperature); F (17 to 25° C), Non-operating humidity range: 10 to 96% P (51 to 30% RHz Recommended operating temperature); F (17 to 25° C), Non-operating humidity range: 10 to 96% P (51 to 30% RHz Recommended operating temperature); F (17 to 25° C), Non-operating humidity range: 10 to 96% RHz Recommended operating temperature; F (17 to 25° C), Non-operating humidity range: 10 to 96% RHz Recommended operating temperature; F (17 to 25° C), Non-operating humidity range: 10 to 96% RHz Recommended operating temperature; F (17 to 25° C), Non-operating humidity range: 10 to 96% RHz Recommended operating temperature; F (17 to 25° C), Non-operating humidity range; 10 to 96% RHz Recommended operating temperature; F (17 to 25° C), Non-operating humidity range; 10 to 96% RHz Recommended operating temperature; F (17 to 25° C), Non-operating humidity range; 10 to 96% RHz Recommended operating temperature; F (17 to 25° C), Non-operating humidity range; 10 to 96% RHz Recommended operating temperature; F (17 to 25° C), Non-operating humidity range; 10 to 96% RHz Recommended operating temperature; F (17 to 25° C), Non-operating humidity range; 10 to 96% RHz Recommended operating temperature; F (17 to 25° C), Non-operating humidity range; 10 to 96% RHz Recommended operating temperature; F (17 to 25° C), Non-operating humidity range; 10 to 96% RHz Recommended operating temperature; F (17 to 25° C), Non-operating humidity range; 10 to 96% RHz Recommended operating temperature; F (15 to 25° C), Non-opera					
coustic ^a	Acoustic power emissions: 7.1 B(A); Acoustic pressure emissions: 56 dB(A)					
ower	Power supply type: Built-in power supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/ - 10%), 60 H 2 (+/ - 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/ - 10%), 50 H 2 (+/ - 2 Hz), 5 A (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption. ⁵ 79 watts (Printing), 83 watts (Ready), 7 watts (Steap), 0.07 watts (Manual Off) 1.53 (Auto Off/Wake on LAN), 007 (Auto Off/Manual On)					
onts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available third-party flash memory cards; HP LaserJet Fonts and IPOS Emulation available at <u>tp.com/go/lasejetfonts</u>					
isplay	8" (20.3 cm) capacitive-touchscreen, SVGA (800 x 600 resolution), gesture support and extended keyboard					
oftware included	Windows: HP Installer/Uninstaller, HP PCL 6 print driver, Wizard, Scan to Folder Setux Wizard, Scan-to-e-mail setux Wizard, HP Send Fax, DWP (Device Experience), HP Help & Learn Center, Product Registration Assist Mac HP Installer/Uninstaller, HP PSEL Uninstaller, HP Postscript driver, HP Utility HP Alerts, HP Firmware Update					
		Identity management: Kerberos authentication, LDAP authentication, 1000 user PN codes, optional HP and 3rd party advanced authentication os lutions (e.g., badge readers). Network: IPsec/Irrewall with Certificate, Pre-Shared Key, and Kerberos authentication, Sup WIA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP EAP-TLS), SMMP3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted readers). Network: IPsec/Irrewall with Certificate or prographic libraries from Microsoft). Secure Erase, SSL/ (HTTPS), Encrypted readentals; Device: Security lock sol, US Bport disablement, hardware integration pocket for security solutions; Security Deck sol, US Bport disablement, hardware integration pocket for security solutions; Security Deck sol, US Bport disablement, hardware integration pocket for security solutions; Security Deck sol, US Bport disablement, hardware integration pocket for security solutions; Security Deck sol, US Bport disablement, hardware integration pocket for security solutions; Security Deck sol, US Bport disablement, hardware integration pocket for security backs sol, US Bport disablement, hardware integration pocket for security backs sol, US Bport disablement, hardware integration pocket for security backs sol, US Bport disablement, hardware integration pocket for security backs sol, US Bport disablement, hardware integration pocket for security backs sol, US Bport disablement, hardware integration pocket for security backs sol, US Bport disablement, hardware integration pocket for security backs sol, US Bport disablement, hardware integration pocket for security backs sol, US Bport disablement, hardware integration pocket for security backs sol, US Bport disablement, hardware integration pocket for security backs sol, US Bport disablement, hardware integration pocket for security backs sol, US Bport disablement, hardware integration pocket for security backs sol, US Bport				

To learn more, visit hp.com

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint is a trademark of Apple Inc., registered in the U.S. and other countries. Red Hat is a registered trademark of Red Hat, Inc. in the United States and other countries. UNIX is a registered trademark of The Open Group. PANTONE and other Pantone, Inc. trademarks are the property of Pantone, Inc. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Linux is a U.S. registered trademark of Linus Torvalds.

